

UK DECLARATION OF PERFORMANCE

Regulation (EU) 305/2011 No. 0001 — CPR-2013/07/01

No.: 833

- | | | | |
|--|---|---|--|
| 1. Unique identification code of the product-type | RAIS Q-TEE II C SST | | |
| 2. Type | Room heater burning solid fuel without hot water supply | | |
| 3. Intended use | Domestic room heater | | |
| 4. Manufacturer | RAIS A/S
Industrivej 20, Vangen
DK-9900 Frederikshavn,
Denmark | Telephone +45 98 47 90 33
Telefax +45 98 47 92 91
Webmail kundeservice@rais.dk
Homepage www.rais.com | |
| 5. Authorised representative | n/a | | |
| 6. System of assessment AVCP | System 3 | | |
| 7. Notified body | The notified laboratory <i>Danish Technological Institute - Identification no. 1235 Teknologiparken, Kongsvang Allé 29, DK-8000 Århus C</i>
performed the determination of the product type on the basis of type testing under system 3 and issued test report
a. 300-ELAB-1882-EN-rev3 | | |

8. Declared performance Harmonized technical specification: EN 13240:2003/A2:2004

Essential characteristics	Performance		
Fire safety			
Reaction to fire	A1	Uninsulated flue	Insulated flue
Distance to combustibile materials	rear	300 mm	200 mm
Minimum distances [mm]	sides	400 mm	400 mm
<i>For other installation or wall settings see instruction manual</i>	ceiling	800 mm	800 mm
	Front	1200 mm	1200 mm
Risk of burning fuel falling out	Pass		
OGC (mg/Nm ³ rel. 13 Vol-% O ₂)	63		
CO-emission of combustion products	0,079 %		
NO _x (mg/Nm ³ rel. 13 Vol-% O ₂)	30		
Dust at (rel. 13 Vol-% O ₂)	14 mg/Nm ³		
Surface temperature	Pass		
Electrical safety	NPD		
Cleanability	Pass		
Maximum operating pressure	- bar		
Flue gas temperature T at nominal heat output	263° C		
Mechanical resistance (to carry a chimney/flue)	NPD		
Thermal output			
Nominal heat output	6,5 kW		
Room heating output	6,5 kW		
Water heating output	- kW		
Energy efficiency η	81 %		
Seasonal Efficiency $\eta_{S,on}$	71 %		

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

John Engell Nielsen, R&D / Quality Manager

Place FREDERIKSHAVN, DENMARK

Date 31-03-2022



 Signature